



Marine & Offshore

Certificate number: 12045/D0 BV

File number: ACE 01/733/03 & 04

Product code: 2505I

This certificate is not valid when presented without the full attached schedule composed of 7 sections

www.veristar.com

TYPE APPROVAL CERTIFICATE

This certificate is issued to

TURK PRYSMIAN KABLO VE SISTEMLERI A.S.
BURSA - TURKEY

for the type of product

INSTRUMENTATION AND COMMUNICATION CABLES
03XPC4Z1-R, 03J2XPC4Z1-R
150/250V

Requirements:

Bureau Veritas Rules for the Classification of Steel Ships
IEC 60092-350 (2014) / IEC 60092-360 (2014) / IEC 60092-376 (2017)
IEC 60331-21 (1999)
IEC 60332-1-2 (2004) + AMD1 (2015)
IEC 60332-3-22 (2000) + AMD1 (2008)
IEC 60754-1 (2011) / IEC 60754-2 (2011)
IEC 61034-1 (2005) / IEC 61034-2 (2005)

This certificate is issued to attest that Bureau Veritas Marine & Offshore did undertake the relevant approval procedures for the product identified above which was found to comply with the relevant requirements mentioned above.

This certificate will expire on: 13 Mar 2023

For Bureau Veritas Marine & Offshore,

At BV ISTANBUL, on 13 Mar 2018,

Gurcan Yilmaz



This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with Bureau Veritas Marine & Offshore. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas Marine & Offshore for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

The electronic version is available at: <http://www.veristarp.com/veristarnb/jsp/viewPublicPdfTypepec.jsp?id=trkvn1oqja>

BV Mod. Ad.E 530 June 2017

This certificate consists of 3 page(s)

THE SCHEDULE OF APPROVAL

1. PRODUCT DESCRIPTION:

Flame Retardant, Halogen Free and Low Smoke instrumentation cable for ship wiring installations.

1.1 - Main characteristics:

Rated Voltage: 150/250 V according to IEC 60092-376
 Temperature Class: 90 °C
 Flame retardant: IEC 60332-1-2 and IEC 60332-3-22 Cat. A
 Fire Resistance: IEC 60331-21 (LJST-FRHF Type only)
 Halogen Free: IEC 60754-1/2
 Low Smoke: IEC 61034-1/2

1.2 - Construction:

Conductor: Stranded copper - Class 2
 Fire barrier: Mica tape (LJST-FRHF Type only)
 Insulation: Extruded Halogen Free Cross Linked PolyEthylene - HF XLPE
 Pairs: 2 cores twisting
 Tape: Polyester or PP
 Screen: Bare copper wire braiding
 Outer Sheath: Halogen Free Thermoplastic Compound - SHF1

1.3 - Product Range:

Type	Number of Pair	Cross sect. (mm ²)	Rated Voltage (V)	Remarks
03XPC4Z1-R (LJST-HF)	1P to 37P	0.5 to 1.5	150/250	Flame retardant according IEC 60332-1-2 & IEC 60332-3 Cat.A
03J2XPC4Z1-R (LJST-FRHF)	1P to 37P	0.5 to 1.5	150/250	Flame retardant according IEC 60332-1-2 & IEC 60332-3 Cat.A Fire resistant according to IEC 60331-21

2. DOCUMENTS AND DRAWINGS:

According to Specifications filed in ACE 01/733/03 & ACE 01/733/04.
 Prysmian Data sheet, rev2

3. TEST REPORTS:

3.1 - For the type **03XPC4Z1-R (LJST-HF)**:

- Test report issued by Russian Maritime Register of Shipping dated 10/05/2002.
- Test report N° 21.06.2002-BV-02 dated 21/06/2002 - The tests were witnessed by BV Surveyor.
- Routine and Flame tests dated 15/01/2010 (witnessed by BV Surveyor).

3.2 - For the type **03J2XPC4Z1-R (LJST-FRHF)**:

- Test report N° 874100-01-02, dated 06/09/2002 - The tests were witnessed by RINA Surveyor
- Test report N° GE-02E, dated 06/03/2003 - The tests were witnessed by GL Surveyor
- Test report N° Q/LV3719, dated 10/10/2007 - The tests were witnessed by BV Surveyor
- Test report N° 2312013, dated 23/01/2013 - The tests were witnessed by BV's Surveyor.
- Test report N° 20180031 dated 09/02/2018 - The tests were witnessed by BV Surveyor.

4. APPLICATION / LIMITATION:

BUREAU VERITAS Rules for the Classification of Steel Ships and IEC 60092-x series.

5. PRODUCTION SURVEY REQUIREMENTS:

5.1 - The INSTRUMENTATION AND COMMUNICATION CABLES are to be supplied by **TURK PRYSMIAN KABLO VE SISTEMLERI A.S.** in compliance with the type and the requirements described in this certificate.

5.2 - This type of product is within the category IBV of Bureau Veritas Rule Note NR320.

5.3 - BV product certificate is required.

5.4 - For information, **TURK PRYSMIAN KABLO VE SISTEMLERI A.S.** has declared to Bureau Veritas the following production site(s):

**TURK PRYSMIAN KABLO VE SISTEMLERI A.S.
OMERBEY MAH.
BURSA ASFALTI CAD. NO.51
MUDANYA
16941 BURSA
TURKEY**

6. MARKING OF PRODUCT:

The cable shall be marked on the surface outer sheath, in a durable legible and visible manner, with the following information through the length of cable:

- 1) - Voltage grade.
- 2) - Cable symbol and temperature class.
- 3) - Number of conductors and conductor size.
- 4) - Applicable standard(s) to flame retardant and fire resistance if any.
- 5) - Manufacturer's name or trade mark.
- 6) - Year of manufacture.

7. OTHERS:

7.1 - It is **TURK PRYSMIAN KABLO VE SISTEMLERI A.S.**'s responsibility to inform shipbuilders or their sub-contractors of the proper methods of fitting, use and general maintenance of the approved equipment and the conditions of this approval.

7.2 - This certificate supersedes the Type Approval Certificate N° 12045/C1 BV issued on 07 Mar 2013 by the Society.

*** END OF CERTIFICATE ***